

# SAFETY DATA SHEET

Date of last issue: 2022-07-01 Date of first issue: 2017-06-16

#### Section 1—Identification

**Product identifier** 

Product name : Multi Purpose Ink Cleaner

MP31-CL220U / MP31-CL500U / MP31-CL1000BU

Recommended use of the chemical and restrictions on use

Recommended use : Digital Printing

**Details of manufacturer or importer** 

Company : MUTOH AUSTRALIA PTY. LTD.

Address : Unit 19/76 Reserve Road, Artarmon, NSW 2064, Australia

Contact section : admin@mutoh-au.com or +61 2 9437 1366

Telephone : +61 2 94371366

**Emergency telephone number** 

Emergency phone number (business hours): +61 2 9437 1366

## Section 2—Hazard(s) identification

#### Classification of the hazardous chemical

Flammable liquids : Category 4

Skin corrosion/irritation : Category 2

## Label elements, including precautionary statements

Hazard pictograms :



Signal word : Warning

Hazard statement(s) : H227 Combustible liquid.

H315 Causes skin irritation.

Precautionary statement(s) : **Prevention:** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/

face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty water.

P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before

reuse. Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.



## Other hazards which do not result in classification

Vapours may form explosive mixture with air.

## Section 3—Composition and information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bis(2-ethoxyethyl) ether	112-36-7	>= 10 - < 30
2-[2-(2-Butoxyethoxy)ethoxy]ethanol	143-22-6	>= 10 - < 20

#### Section 4—First aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice

immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at

least 15 minutes while removing contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Causes skin irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and

use the recommended personal protective equipment when the

potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

## Section 5—Firefighting measures

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion product : Carbon oxides



Specific extinguishing methods : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do so.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

## Section 6—Accidental release measures

Personal precautions, protective:

equipment and emergency

procedures

Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice and personal protective equipment

recommendations.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot

be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations

are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## Section 7—Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/

PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.

Avoid inhalation of vapour or mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment.

Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are located



close to the working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

## Section 8—Exposure controls and personal protection

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that

exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on

the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the

end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure potential.

Wear the following personal protective equipment:

Flame retardant antistatic protective clothing, unless assessment demonstrates that the risk of explosive atmospheres or flash fires

is low

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

## Section 9—Physical and chemical properties

Appearance : liquid

Colour : clear

Odour : solvent-like



Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 65 °C

Method: Tag closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.9 - 1.0

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : soluble

Solvent: organic solvents

Partition coefficient:

n-octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

## Section 10—Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions: Combustible liquid.



Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

## Section 11—Toxicological information

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Components:** 

Bis(2-ethoxyethyl) ether:

Acute oral toxicity : LD50 (Rat): 4,970 mg/kg

2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Acute oral toxicity : LD50 (Rat): 5,170 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 3,540 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Bis(2-ethoxyethyl) ether:

Result: Skin irritation

Remarks: Based on data from similar materials

2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Bis(2-ethoxyethyl) ether:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Species: Rabbit

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Bis(2-ethoxyethyl) ether:



Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: negative

Remarks: Based on data from similar materials

## 2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Test Type: Maximisation Test Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

## **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

#### Components:

## Bis(2-ethoxyethyl) ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

## 2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

## Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

## Bis(2-ethoxyethyl) ether:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: negative



## 2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Test Type: Embryo-foetal development Effects on foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

## STOT-single exposure

Not classified based on available information.

#### **STOT-repeated exposure**

Not classified based on available information.

## Repeated dose toxicity

Components:

## Bis(2-ethoxyethyl) ether:

Species: Rat NOAEL: 2.49 mg/l

Application Route: inhalation (dust/mist/fume)

Exposure time: 4 Weeks

Method: OECD Test Guideline 412

## 2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Species: Rat

NOAEL: 250 mg/kg

**Application Route: Ingestion** Exposure time: 90 Days

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

## Section 12—Ecological information

## **Ecotoxicity** Components:

## Bis(2-ethoxyethyl) ether:

Toxicity to fish : LC50: > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: LC50: 6,600 mg/l Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates (Chronic

toxicity)

EC10 (Ceriodaphnia dubia (water flea)): > 1 mg/l

Exposure time: 7 d

Remarks: Based on data from similar materials

Toxicity to microorganisms NOEC: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

#### 2-[2-(2-Butoxyethoxy)ethoxy]ethanol:



Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 2,200 - 4,600 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,210 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 612.6 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 612.6 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC10: > 1,995 mg/l

Exposure time: 30 min

Persistence and degradability

**Components:** 

Bis(2-ethoxyethyl) ether:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301F

2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 85 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

**Components:** 

Bis(2-ethoxyethyl) ether:

Partition coefficient: : log Pow: 0.39

n-octanol/water

2-[2-(2-Butoxyethoxy)ethoxy]ethanol:

Partition coefficient: : log Pow: 0.51

n-octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Section 13—Disposal considerations

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling

site for recycling or disposal.

Empty containers retain residue and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition.

They may explode and cause injury and/or death.

If not otherwise specified: Dispose of as unused product.

Section 14—Transport information



# International Regulations UNRTDG

Not regulated as dangerous goods

#### IATA-DGR

Not regulated as dangerous goods

#### **IMDG-Code**

Not regulated as dangerous goods

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# National Regulations

**ADG** 

Not regulated as dangerous goods

## Section 15—Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

Poisons

Prohibition/Licensing : There is no applicable prohibition or notification/licensing

Requirements requirements, including for carcinogens under Commonwealth,

State or Territory legislation.

## Section 16—Any other relevant information

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency,

http://echa.europa.eu/

Date of preparation or review

Revision Date : 2022-07-01

#### Key abbreviations or acronyms used

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC -Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development;



OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.