

SAFETY DATA SHEET

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LED UV Curable INK UH21 Magenta
UH21-MA220U / UH21-MA800U

Manufacturer or supplier's details

Company : MUTOH AUSTRALIA PTY. LTD.
Address : Unit 19/76 Reserve Road, Artarmon, NSW 2064, Australia
Contact section : admin@mutoh-au.com or +61 2 9437 1366
Telephone : +61 2 94371366
Emergency telephone number : Emergency phone number (business hours): +61 2 9437 1366

Recommended use of the chemical and restrictions on use

Recommended use : Digital Printing for Professional and Industrial Use

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin sensitisation : Category 1
Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger
Hazard statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H360FD May damage fertility. May damage the unborn child.
Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P281 Use personal protective equipment as required.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification
 None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	86273-46-3	≥ 50 - ≤ 100
Propoxylated neopentyl glycol diacrylate esters	84170-74-1	≥ 2.5 - ≤ 10
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8	≥ 0 - ≤ 2.5
Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide	162881-26-7	≥ 1 - ≤ 2.5
2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	≥ 0.3 - < 2.5
4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	55818-57-0	>= 0.1 - < 1
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone	119313-12-1	≥ 0.025 - < 0.25

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
 May cause an allergic skin reaction.
 May damage fertility. May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion Product : Carbon oxides
 Oxides of phosphorus
 Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	magenta
Odour	:	mild
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	-71 °C
Initial boiling point and boiling range	:	94 °C
Flash point	:	119 °C (Method: Seta closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	> 3
Density	:	1.03 - 1.06 g/cm ³
Solubility(ies)	:	
Water solubility	:	18 g/l
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity	:	
Viscosity, dynamic	:	2 - 10 mPa.s
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous	:	Can react with strong oxidizing agents.

reactions
 Conditions to avoid : None known.
 Incompatible materials : Oxidizing agents
 Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,989 mg/kg
 Method: Calculation method

Components:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:

Acute oral toxicity : LD50 (Rat): 1,790 mg/kg
 Acute inhalation toxicity : LC50 (Rat): > 5.04 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

Propoxylated neopentyl glycol diacrylate esters:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Acute inhalation toxicity : LC50 (Rat): > 2 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 401
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 401
 Assessment: The substance or mixture has no acute oral toxicity
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Acute oral toxicity : LD50 (Rat): 1,984 mg/kg
 Method: OECD Test Guideline 401
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:**

Species : Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Propoxylated neopentyl glycol diacrylate esters:

Species : Rabbit
Result: No skin irritation

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Species : Rabbit
Result: No skin irritation

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Species : Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Species : Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Species : Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:**

Species : Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Propoxylated neopentyl glycol diacrylate esters:

Species : Rabbit
Result: No eye irritation

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Species : Rabbit
Result: No eye irritation

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Species : Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Species : Rabbit
 Result: No eye irritation
 Method: OECD Test Guideline 405

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Species : Rabbit
 Result: No eye irritation
 Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:

Test Type : Local lymph node assay (LLNA)
 Exposure routes: Skin contact
 Species: Mouse
 Method: OECD Test Guideline 429
 Result: positive
 Assessment : Probability or evidence of skin sensitisation in humans

Propoxylated neopentyl glycol diacrylate esters:

Test Type : Local lymph node assay (LLNA)
 Exposure routes: Skin contact
 Species: Mouse
 Method : OECD Test Guideline 429
 Result: positive
 Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin contact
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : positive
 Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : positive
 Assessment : Probability or evidence of skin sensitisation in humans

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig

Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative

Propoxylated neopentyl glycol diacrylate esters:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

: Test Type: Chromosome aberration test in vitro
 Result: negative

: Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

: Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

: Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Hamster
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Propoxylated neopentyl glycol diacrylate esters:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 415
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 415
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:**

Species : Rat
NOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407

Propoxylated neopentyl glycol diacrylate esters:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Species : Rat
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Species : Rat
NOAEL : 75 mg/kg
LOAEL : 220 mg/kg
Application Route : Ingestion

Exposure time : 90 Days
 Method : OECD Test Guideline 408

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Species : Rat
 NOAEL : >= 100 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 6.8 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 55 mg/l
 aquatic invertebrates
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 10 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 NOEC (Desmodesmus subspicatus (green algae)): 0.78 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.26 mg/l
 aquatic invertebrates (Chronic
 toxicity)
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 741 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Propoxylated neopentyl glycol diacrylate esters:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 2.7 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 37 mg/l
 aquatic invertebrates
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 11 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 NOEC (Pseudokirchneriella subcapitata (green algae)): 1 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC: 2 mg/l
 Exposure time: 28 d

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.53 mg/l
 aquatic invertebrates
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2.01
 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 1.56 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 90 µg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.18 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 260 µg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8.1 µg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211
 Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 100 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Toxicity to fish : LC50 (Zebrafish): 9 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15.3 mg/l
 Exposure time: 24 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 NOEC (Desmodesmus subspicatus (green algae)): 0.39 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to microorganisms : IC50: > 100 mg/l
 Exposure time: 3 h

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.46 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.8 mg/l
 Exposure time: 24 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 100 mg/l
 Exposure time: 30 min
 Method: OECD Test Guideline 209

Persistence and degradability

Components:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84.4 %
Exposure time: 28 d

Propoxylated neopentyl glycol diacrylate esters:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 51 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 - 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****2-Propenoic acid, 2-[2-(ethenoxy)ethoxy]ethyl ester:**

Partition coefficient : log Pow: 1.7
n-octanol/water

Propoxylated neopentyl glycol diacrylate esters:

Partition coefficient : log Pow: 2.41 - 3.87
n-octanol/water

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 18 - 72

Partition coefficient : log Pow: 3.1 - 3.8
n-octanol/water

Phenylbis (2,4,6-trimethylbenzoyl) phosphine oxide:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 5

Partition coefficient : log Pow: 5.8
n-octanol/water

2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one:

Bioaccumulation : Bioconcentration factor (BCF): 13

Partition coefficient : log Pow: 3.09
n-octanol/water

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone:Partition coefficient : log Pow: 2.91
n-octanol/water**Mobility in soil**

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as dangerous goods

IATA-DGR

Not regulated as dangerous goods

IMDG-Code

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

Not regulated as dangerous goods

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**Standard for the Uniform : No poison schedule number allocated
Scheduling of Medicines and
PoisonsProhibition/Licensing : There is no applicable prohibition, authorisation and restricted
Requirements use requirements, including for carcinogens referred to in
Schedule 10 of the model WHS Act and Regulations.**The components of this product are reported in the following inventories:**

AICS : All ingredients listed or exempt.

SECTION 16. OTHER INFORMATION**Further information**Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Safety Data eChem Portal search results and European Chemicals Agency,
Sheet <http://echa.europa.eu/>

Revision Date : 03.02.2025

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.